


ZONIO

Hanging Dividers



ZONIO Hanging Dividers

Design: Kai Stania (AT)
Manufacturer: RIM CZ a.s.

ZONIO Hanging Dividers

The Agilo & Zonio collection offers comprehensive solutions for modern offices. With a focus on modularity, acoustics and adaptability, it connects work and team tables with shelving systems and acoustic elements made of recyclable PET felt. Thanks to smart construction, the elements are easy to assemble. All parts of the Agilo & Zonio collections are interconnected, creating a user-friendly whole that is open to change and designed with attention to detail.

Description	The Zonio hanging panel, made of recyclable PET material, improves the acoustic performance of the space and supports focused work. With options for suspension on a fixed bracket or within a rail system, it flexibly separates workstations and adds a functional design element to the interior.	
PET panel	Acoustic panel made of PET felt, thickness 9 mm, melange finish: The panel is made of recyclable PET felt (100% polyester, 60% recycled) with a thickness of 9 mm and a weight of 1900 g/m² ± 7%. It offers acoustic properties with a Noise Reduction Coefficient (NRC) of 0.3 (without air gap) up to 0.8 (with 150 mm air gap), low weight, reduced flammability and thermal insulation. Colours: anthracite, light grey, grey-blue, beige Each panel is supplied with 2 suspension cables and mounting brackets. Dimensions and weight: MT PW200 – 600 x 1200 mm, R20 1,3 kg MT PW201 – 600 x 1800 mm, R20 1,9 kg MT PW202 – 600 x 2400 mm, R20 2,5 kg Other sizes and patterns – on request.	
Suspension system	Fixed mounting: • Ceiling bracket for 1 panel, adjustable length up to 1000 mm, including fixing material, weight 0,3 kg Rail system: • Double-track rail system, 1500 mm, including fixing material, weight 1,6 kg • Double-track rail system, 2000 mm, including fixing material, weight 2,1 kg We recommend 2 panels per 1500 mm rail and 3 panels per 2000 mm rail.	 


Certification

The PET material contains no volatile organic compounds (VOCs) or other harmful substances and complies with GREENGUARD, OEKO-TEX STANDARD 100, REACH and RoHS certifications. It is easy to clean and 100% recyclable.

Warranty


3 years (see Terms & Conditions)

Dimensions (mm)



Gallery

MT PW200



MT PW201



MT PW202



Materials & Colours

PET panels

Anthracite (PT-06), light grey (PT-04), grey-blue (PT-49), beige (PT-28)



