

AGILO

Presentation Unit



AGILO AG S5300.01


Design: Kai Stania (AT)
Manufacturer: RIM CZ a.s.

AGILO AG S5300.01

The Agilo & Zonio collection offers comprehensive solutions for modern offices. With a focus on modularity, acoustics and adaptability, it connects work and team tables with shelving systems and acoustic elements made of recyclable PET felt. Thanks to smart construction, the elements are easy to assemble. All parts of the Agilo & Zonio collections are interconnected, creating a user-friendly whole that is open to change and designed with attention to detail.

Description	The Agilo collaborative panel on castors (AG S5300.01) with an acoustic PET panel creates space for both focus work and team meetings. Thanks to its mobile design, it can be easily moved according to current needs and complemented with practical elements such as a whiteboard or screen mount.
Metal frame	<p>The black steel frame consists of a welded side section (tube Ø 30 × 1.5 mm + profiles 30 × 20 × 1.5 mm) and steel cross profiles of the same dimensions. Assembled using aluminium connectors and screws. Plastic glides.</p> <p>RAL colours: white, pigeon blue, light grey, grey-blue, beige, olive green Other RAL colours – on request</p> <p>Dimensions, weight:</p> <ul style="list-style-type: none">890 x 580 x 1940 mm 20,6 kg
Shelf board	<p>MFC shelf board (melamine-faced particleboard), thickness 18 mm, radius 40 mm:</p> <ul style="list-style-type: none">white W1000, ST9, ABS edge in board colour, thickness 1 mmlight grey U708, ST9, ABS edge in board colour, thickness 1 mmanthracite U963, ST9, ABS edge in board colour, thickness 1 mmoak H3395, ST12, ABS edge in board colour, thickness 1 mm <p>Other shelf boards – on request.</p> <p>Dimensions, weight:</p> <ul style="list-style-type: none">Top board LTD: 1290 x 400 mm 7,4 kgBottom board LTD: 1290 x 470 mm 8,7 kg
PET panel	<p>PET felt panel, thickness 9 mm, melange finish:</p> <ul style="list-style-type: none">Colours: anthracite, light grey, grey-blue, beige <p>The panel is made of environmentally friendly PET felt (100% polyester, 60% recycled), 9 mm thick, with a weight of 1900 g/m² ± 7%. It offers acoustic properties with a Noise Reduction Coefficient (NRC) of 0.3 (without air gap) up to 0.8 (with 150 mm air gap), low weight, reduced flammability and thermal insulation.</p>
Optional	<ul style="list-style-type: none">MT WB000 White Board (1000 x 890 mm).01 Vesa screen mount
Certification	The PET material contains no volatile organic compounds (VOCs) or other harmful substances and complies with GREENGUARD, OEKO-TEX STANDARD 100, REACH and RoHS certifications. It is easy to clean and 100% recyclable.
Warranty	Fixed metal parts: 5 years PET panels and boards: 3 years (see Terms & Conditions)

Dimensions (mm)



Gallery



Materials & Colours

Metal

Standard: black



RAL colours:

Light grey (7038), grey-blue (7015), beige (7010), olive green (7003), pigeon blue (5014), white




RAL 7038



RAL 7015




RAL 1019



RAL 7003




RAL 5014



PET panels

Anthracite (PT-06), light grey (PT-04), grey-blue (PT-49), beige (PT-28)



PT-06



PT-04



PT-49



PT-28

Shelf boards

Anthracite U963, oak H3395, white W1000, light grey U708

