

AGILO

Desks



AGILO AG T4000, AG T4001, AG T4002

Design: Kai Stania (AT)
Manufacturer: RIM CZ a.s.

AGILO AG T4000, AG T4001, AG T4002

The Agilo & Zonio collection offers comprehensive solutions for modern offices. With a focus on modularity, acoustics and adaptability, it connects work and team tables with shelving systems and acoustic elements made of recyclable PET felt. Thanks to smart construction, the elements are easy to assemble. All parts of the Agilo & Zonio collections are interconnected, creating a user-friendly whole that is open to change and designed with attention to detail.

Description	The Agilo desks offer a flexible solution for modern offices and shared workspaces. A sturdy metal base ensures stability and long-lasting durability, while the option of adding PET felt panels enhances privacy and acoustic comfort at work. Thanks to smart construction, the desks can be easily combined with other elements of the Agilo & Muteo collections, creating a functional and aesthetically coherent workspace.
--------------------	---

Base	The base legs are tubes Ø 40 × 2 mm connected by box profiles 40 × 20 × 2 mm, RAL black colour. The base is fitted with plastic glides.
-------------	---

RAL colours: white, pigeon blue, light grey, grey-blue, beige, olive green
Other RAL colours – on request

Dimensions, weight:

- 1560 x 760 mm | 18,2 kg (**AG T4000**)
- 1760 x 860 mm | 19,9 kg (**AG T4001**)
- 1360 x 660 mm | 16,5 kg (**AG T4002**)

Table top	MFC table top (melamine-faced particleboard), thickness 18 mm, radius 40 mm:
------------------	--


- white W1000, ST9, ABS edge in board colour, thickness 1 mm
- light grey U708, ST9, ABS edge in board colour, thickness 1 mm
- anthracite U963, ST9, ABS edge in board colour, thickness 1 mm
- oak H3395, ST12, ABS edge in board colour, thickness 1 mm

Other table tops – on request.


Dimensions, weight:

- 1600 x 800 mm | 18,4 kg (**AG T4000**)
- 1800 x 900 mm | 23,3 kg (**AG T4001**)
- 1400 x 700 mm | 17,6 kg (**AG T4002**)

Optional	<ul style="list-style-type: none">• Castors, braked (.01)• Connection point - According to specification• PET felt panel + metal bracket for panel mounting above the table top (1 pair)<ul style="list-style-type: none">○ Panel width according to the selected table top○ Colours: anthracite, light grey, grey-blue, beige○ RAL colours – mounting bracket: black (standard), white, pigeon blue, light grey, grey-blue, beige, olive green, other colours on request
-----------------	--



- PET felt panel + metal bracket for panel mounting **under** the table top (1 pair)
 - Panel width according to the selected table top
 - Colours: anthracite, light grey, grey-blue, beige
 - RAL colours – mounting bracket: black (standard), white, pigeon blue, light grey, grey-blue, beige, olive green, other colours on request



The panel is made of environmentally friendly PET felt (100% polyester, 60% recycled), 9 mm thick, with a weight of $1900 \text{ g/m}^2 \pm 7\%$. It offers acoustic properties with a Noise Reduction Coefficient (NRC) of 0.3 (without air gap) up to 0.8 (with 150 mm air gap), low weight, reduced flammability and thermal insulation.

Connection Points

Type of connection point according to the offer. The position of the connection point on the tabletop is according to the customer's specification.

PM 020.00

Connection panel $2 \times 230 \text{ V}$ (Type E), charger $1 \times \text{USB-A/C}$ (65 W).

2 m power cable with CEE E/F plug.


Black plastic housing, black metal frame.

Aluminium cover.

Optional accessory

PM 020.01

Connection panel $2 \times 230 \text{ V}$ (Type F).



PM 020.10

Connection panel $2 \times 230 \text{ V}$ (Type E), charger $1 \times \text{USB-A/C}$ (65 W).


2 m power cable with CEE E/F plug.

Black plastic housing, metal frame in aluminium / black / white finish.

Optional accessory

PM 020.11

Connection panel $2 \times 230 \text{ V}$ (Type F).




PM 021.15

Charger $1 \times \text{USB-A/C}$ (22 W).


2 m power cable with CEE E/F plug.

Black plastic housing.




PM 021.10

Connection panel – 1× 230 V (Type E).
2 m power cable with CEE E/F plug.
Black plastic housing.



PM 021.11

Connection panel – 1× 230 V (Type F).
2 m power cable with CEE E/F plug.
Black plastic housing.




Certification

The product meets the requirements for dimensions, safety, strength and durability of work tables and tops according to standards EN 527-1 and EN 527-2+A1.

The PET material contains no volatile organic compounds (VOCs) or other harmful substances and complies with GREENGUARD, OEKO-TEX STANDARD 100, REACH and RoHS certifications. It is easy to clean and 100% recyclable.

Warranty

Fixed metal parts: 5 years | PET panels and boards: 3 years (see Terms & Conditions)

Dimensions (mm)

Materials & Colours**Metal**

Standard: black



RAL colours:

Light grey (7038), grey-blue (7015), beige (7010), olive green (7003), pigeon blue (5014), white




RAL 7038



RAL 7015




RAL 1019



RAL 7003




RAL 5014



PET panels

Anthracite (PT-06), light grey (PT-04), grey-blue (PT-49), beige (PT-28)



PT-06



PT-04



PT-49



PT-28

Table tops

Anthracite U963, oak H3395, white W1000, light grey U708

