

Space



SPACE SP 1522

Design: Robin Platt (GB)
Manufacturer: RIM CZ a. s.



EPD®



SPACE SP 1522


The premium ergonomic chair SPACE features a wide range of adjustability and 3D movement mechanism, ensuring optimal adjustment and unlimited movement for every user.

Mechanism	The synchronous mechanism with seat-depth adjustment and 3D movement ensures comfortable sitting. The counterpressure of the backrest is smoothly adjustable on the side of the mechanism for body weights between approximately 45-120 kg. The backrest tilts backward within a range of 0-18°, with four locking positions. The mechanism allows smooth 3D movement to the sides, with the seat locked in the default position.
Seat	The seat is filled with PUR foam (50 mm thick, bulk density 70 kg/m ³) and covered with fabric or leather. The front edge is rounded to prevent unwanted pressure on the lower legs. The ergonomically shaped seat ensures proper and comfortable seating. Plastic components are made of polyamide. Height adjustment ranges from 420-540 mm, with integrated seat-depth adjustment offering a 60 mm range.
Backrest	The backrest features a plastic frame with a grid-like inner structure. It includes an integrated lifting mechanism with a depth-adjustable lumbar support offering a 25 mm range, covered in a high-tenacity mesh of the customer's choice for adequate back support while ensuring optimal air circulation. The backrest is height-adjustable within a 70 mm range. Plastic components are made of polyamide.
Upholstery	Seat – as per customer's choice from the current range of fabrics and leathers available for the selected product. Backrest <ul style="list-style-type: none">• Mesh – as per customer's choice from the current range available for the selected product• 3D knit (red, beige, green)
Base	Stable five-star base ø 700 mm, made of polyamide.
Castors	Hard double castors ø 60 mm, black, braked (depending on the load), for soft floors (as per DIN EN 12529). The chair does not move when released which minimizes the risk of accident.
Plastic components	Colored, black, with guaranteed color stability even in the case of deep scratches. Backrest grid available in black or light grey.
Armrests	<ul style="list-style-type: none">• 094 4F Black all-plastic armrests made of polyamide. The supporting surface is made of softened PUR. The armrests are height-adjustable within a range of 115 mm, with a width adjustment of 65 mm and depth adjustment of 70 mm. The supporting pad allows for rotational adjustment within a 360° range. The armrests comply with the dimensional and ergonomic requirements of the standard EN 1335-1:2020 Type Ax and Type A• 093 3F Black all-plastic armrests made of polyamide. The supporting surface is made of softened PUR. Height-adjustable within a range of 100 mm, with width adjustment of 35 mm and depth adjustment of 40 mm. The armrests comply with the dimensional and ergonomic requirements of the standard EN 1335-1:2020 Type B.
Optional	<ul style="list-style-type: none">• Headrest – black plastic• Plastic components – black-grey combination of backrest• Coat hanger – black plastic, DO 021• Base – ø 700 mm, polished Alu• Castors – soft, braked
Certification	This product complies with European dimensional and safety regulations as per norm EN 1335-1:2020 Typ B.

This product meets the ergonomic requirements as per 2 PFG 947
EPD
GREENGUARD Gold

Warranty 10 years

Dimensions (mm)



Weight 17,4 kg

Packaging 0,24 m3
